

Beginner Fall Tote

Sewknitcrochet - printable sewing pattern

PROJECT DETAILS

Unlined woven tote with two long handles and a 3 in boxed base.

All body measurements include the cut edge; use a 1/2 in (1.3 cm) seam allowance.

CUT LIST

Body panels: cut 2 at 16 x 18 in (40.6 x 45.7 cm).

Handle strips: cut 2 at 4 x 22 in (10.2 x 55.9 cm).

Cut 1 1/2 in (3.8 cm) squares from both lower corners of each body panel.

ASSEMBLE THE PATTERN

Print at 100% / Actual Size on US Letter paper. Turn off Fit to Page.

Measure the 1 in check square below before cutting; it must be exactly 1 in on each side.

Trim page margins at the pattern edges. Align BODY A1-A2 and B1-B2 edge to edge, then tape. Join HANDLE H1-H2-H3 at their marked edges, without scaling or overlap.

The 3/4 yd fabric estimate assumes 44 in usable width and a nondirectional print; buy extra for directional prints or nap. The body 18 in edge follows the fabric lengthwise grain.

SEWING MARKS

————— Solid line: cut edge. Dashed line: fold, seam, or boxed-corner guide.

- - - - - Dashed corner squares: cut out before sewing for the 3 in boxed base.

MATERIALS

3/4 yd (about 0.7 m) of 44 in-wide medium-weight woven cotton or canvas, matching thread, sewing machine, ruler/tape, marking tool, scissors/cutter, pins/clips, and iron.

BASIC SAFETY

Use rotary cutters on a mat with fingers clear of the blade. Take care around the hot iron.

Follow the fabric care label for washing and pressing.

The tiled body pattern is 16 x 18 in overall. The handle strip pattern is 4 x 22 in.

Pattern dimensions are actual size; seam and fold guides are printed on the tiled sheets.

1 in check



1 inch = 2.54 cm

BODY A1 - left, top

16 x 18 in body panel tile. Cut two identical body panels.

TOP - fold at dashed 1/2 in and 1 in guides



BODY B1 - right, top

16 x 18 in body panel tile. Cut two identical body panels.

TOP - fold at dashed 1/2 in and 1 in guides




BODY A2 - left, bottom

16 x 18 in body panel tile. Cut two identical body panels.



BODY B2 - right, bottom

16 x 18 in body panel tile. Cut two identical body panels.




HANDLE H1 of H3 - 4 x 22 in strip

Cut two identical strips. Match H1 to H2 to H3 edge to edge.

Solid outer lines: cut edge. Fold along the long dashed lines to make a 1 in strap.

Center line is the lengthwise fold; fold both raw edges inward to meet it.




Continue upward to H2.

HANDLE H2 of H3 - 4 x 22 in strip

Cut two identical strips. Match H1 to H2 to H3 edge to edge.

Solid outer lines: cut edge. Fold along the long dashed lines to make a 1 in strap.

Center line is the lengthwise fold; fold both raw edges inward to meet it.




Join H1 below and H3 above.

HANDLE H3 of H3 - 4 x 22 in strip

Cut two identical strips. Match H1 to H2 to H3 edge to edge.

Solid outer lines: cut edge. Fold along the long dashed lines to make a 1 in strap.

Center line is the lengthwise fold; fold both raw edges inward to meet it.



Continue downward to H2.